```
* * * * * * * * * *   Welcome to STN International   * * * * * * * * * *
* * * * * * * * * * * * * * STN  Columbus  * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 10:52:11 ON 16 APR 2010

=> file reg
=> uploading C:\Program Files\Stnexp\Queries\Queries\10572343_species.str
```



```
chain nodes :
11  18  19  20  21  22  23  24  25  28  29  30
ring nodes :
1  2  3  4  5  6  7  8  9  10  12  13  14  15  16  17
chain bonds :
7-11  8-23  9-28  10-15  12-20  13-21  14-22  16-18  17-19  24-25  28-29  28-30
ring bonds :
1-2  1-6  2-3  3-4  4-5  4-7  5-6  5-10  7-8  8-9  9-10  12-13  12-17  13-14  14-15
15-16  16-17
exact/norm bonds :
4-7  5-10  7-8  7-11  8-9  8-23  9-10  24-25  28-29  28-30
exact bonds :
9-28  10-15  12-20  13-21  14-22  16-18  17-19
normalized bonds :
1-2  1-6  2-3  3-4  4-5  5-6  12-13  12-17  13-14  14-15  15-16  16-17
isolated ring systems :
containing 1 : 12 :


Match level :
1:Atom  2:Atom  3:Atom  4:Atom  5:Atom  6:Atom  7:Atom  8:Atom  9:Atom  10:Atom
11:CLASS  12:Atom  13:Atom  14:Atom  15:Atom  16:Atom  17:Atom  18:CLASS  19:CLASS
20:CLASS  21:CLASS  22:CLASS  23:CLASS  24:CLASS  25:CLASS  26:Atom  28:CLASS
29:CLASS  30:CLASS

=> s l1 sam
L2            0 SEA SSS SAM L1

=> s l1 full
L3           10 SEA SSS FUL L1

=> file caplus

=> s l3
L4            4 L3

=> s l4 and pd< sept 2003
      23899384 PD< SEPT 2003
                 (PD<20030900)
```

```
L5            2 L4 AND PD< SEPT 2003

=> dis l5 1-2 bib abs hitstr

L5   ANSWER 1 OF 2  CAPLUS  COPYRIGHT 2010 ACS on STN
AN   2003:656749  CAPLUS  Full-text
DN   139:197386
TI   Preparation of isoquinolinone derivatives as JNK inhibitors
IN   Itoh, Fumio; Kimura, Hiroyuki; Igata, Hideki; Kawamoto, Tomohiro; Sasaki,
     Mitsuru; Kitamura, Shuji
PA   Takeda Chemical Industries, Ltd., Japan
SO   PCT Int. Appl., 369 pp.
     CODEN: PIXXD2
DT   Patent
LA   Japanese
FAN.CNT 1
     PATENT NO.          KIND   DATE        APPLICATION NO.        DATE
     ----------------    ----   --------    --------------------   --------
PI   WO 2003068750        A1    20030821    WO 2003-JP1429         20030212 <--
         W:  AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
             CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
             GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS,
             LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL,
             PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA,
             UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
             KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES,
             FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF,
             BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
     CA 2476162             A1    20030821    CA 2003-2476162        20030212 <--
     AU 2003211931          A1    20030904    AU 2003-211931         20030212
     EP 1484320             A1    20041208    EP 2003-705075         20030212
         R:  AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
     JP 2004143134          A     20040520    JP 2003-35096          20030213
     US 20050148624         A1    20050707    US 2004-504132         20040811
     US 7402595             B2    20080722
PRAI JP 2002-35073          A     20020213
     JP 2002-251997         A     20020829
     WO 2003-JP1429         W     20030212
ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT
OS   MARPAT 139:197386
AB   Claimed are JNK (c-Jun N-terminal kinase) inhibitors containing
     isoquinolinones or salts thereof.  The second claim specifies that said
     isoquinolinones are 1-isoquinolinones.  Compds. of this invention in vitro
     showed IC50 values of 0.0067 μM to 0.095 μM against JNK1. Formulations are
     given.
IT   583833-69-6P   583833-70-9P   583833-71-0P
     583833-72-1P
     RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
     (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
     (Uses)
        (preparation of isoquinolinone derivs. as JNK inhibitors)
RN   583833-69-6  CAPLUS
CN   3-Isoquinolinecarboxylic acid, 1,2-dihydro-6-methoxy-1-oxo-4-phenyl-2-
     (phenylmethyl)-  (CA INDEX NAME)
```



RN 583833-70-9 CAPLUS
CN 3-Isoquinolinecarboxylic acid, 1,2-dihydro-1-oxo-4-phenyl-6-(phenylmethoxy)-2-(phenylmethyl)- (CA INDEX NAME)



RN 583833-71-0 CAPLUS
CN 3-Isoquinolinecarboxylic acid, 1,2-dihydro-6-methoxy-1-oxo-4-phenyl-2-(phenylmethyl)-, methyl ester (CA INDEX NAME)



RN 583833-72-1 CAPLUS
CN 3-Isoquinolinecarboxylic acid, 1,2-dihydro-1-oxo-4-phenyl-6-(phenylmethoxy)-2-(phenylmethyl)-, methyl ester (CA INDEX NAME)



OSC.G 5 THERE ARE 5 CAPLUS RECORDS THAT CITE THIS RECORD (5 CITINGS)
RE.CNT 14 THERE ARE 14 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L5 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2010 ACS on STN
AN 2002:615576 CAPLUS Full-text
DN 137:169431
TI Preparation of isoquinolinones as dipeptidyl peptidase IV inhibitors for the prophylaxis or treatment of diabetes

IN Oi, Satoru; Ikedou, Koji; Takeuchi, Koji; Ogino, Masaki; Banno, Yoshihiro; Tawada, Hiroyuki; Yamane, Taihei
PA Takeda Chemical Industries, Ltd., Japan
SO PCT Int. Appl., 600 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
PI	WO 2002062764	A1	20020815	WO 2002-JP831	20020201	<--
	WO 2002062764	A9	20021010			
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW					
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG					
	CA 2437492	A1	20020815	CA 2002-2437492	20020201	<--
	AU 2002230126	A1	20020819	AU 2002-230126	20020201	<--
	JP 2003238566	A	20030827	JP 2002-26185	20020201	<--
	JP 4213390	B2	20090121			
	EP 1355886	A1	20031029	EP 2002-711278	20020201	
	EP 1355886	B1	20070711			
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR					
	HU 2004000058	A2	20040428	HU 2004-58	20020201	
	CN 1500080	A	20040526	CN 2002-807429	20020201	
	BR 2002006831	A	20040706	BR 2002-6831	20020201	
	AT 366724	T	20070815	AT 2002-711278	20020201	
	NO 2003003385	A	20030930	NO 2003-3385	20030729	
	US 20040082607	A1	20040429	US 2003-470805	20030801	
	US 7034039	B2	20060425			
	MX 2003006918	A	20040524	MX 2003-6918	20030801	
	IN 2003KN01086	A	20050708	IN 2003-KN1086	20030827	
PRAI	JP 2001-27349	A	20010202			
	JP 2001-292388	A	20010925			
	JP 2001-382232	A	20011214			
	WO 2002-JP831	W	20020201			

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT
OS MARPAT 137:169431
GI



I



II



III

AB Title compds. I [R1, R2 = (un)substituted alkyl or heterocyclic ring; A = (un)substituted 5 to 10-membered aromatic ring; X = bond, O, S, etc.; L = divalent hydrocarbon or a salt], their pharmaceutically acceptable salts and formulations were prepared For example, acylation of amino isoquinolinone II, followed by BOC deprotection provided claimed isoquinolinone III.HCl. Isoquinolinone III inhibited human dipeptidyl peptidase V with an IC50 = 0.25 μM. Also, the plasma glucose-lowering (76%) and insulinotropic effects (255%) of III in rat were reported. Compds. I have superior peptidase inhibitory activity and are useful for the prophylaxis or treatment of diabetes.

IT 447424-13-7P, tert-Butyl 6-benzyloxy-2-isobutyl-1-oxo-4-phenyl-1,2-dihydro-3-isoquinolinecarboxylate 447424-14-8P, 6-Benzyloxy-2-isobutyl-1-oxo-4-phenyl-1,2-dihydro-3-isoquinolinecarboxylic acid 447425-62-9P, Ethyl 7-(benzyloxy)-2-isobutyl-1-oxo-4-phenyl-1,2-dihydro-3-isoquinolinecarboxylate 447425-63-0P, 7-(Benzyloxy)-2-isobutyl-1-oxo-4-phenyl-1,2-dihydro-3-isoquinolinecarboxylic acid
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(intermediate; preparation of isoquinolinones as dipeptidyl peptidase IV inhibitors for the treatment of diabetes)

RN 447424-13-7 CAPLUS

CN 3-Isoquinolinecarboxylic acid, 1,2-dihydro-2-(2-methylpropyl)-1-oxo-4-phenyl-6-(phenylmethoxy)-, 1,1-dimethylethyl ester (CA INDEX NAME)



RN 447424-14-8 CAPLUS

CN 3-Isoquinolinecarboxylic acid, 1,2-dihydro-2-(2-methylpropyl)-1-oxo-4-phenyl-6-(phenylmethoxy)- (CA INDEX NAME)



RN 447425-62-9 CAPLUS
CN 3-Isoquinolinecarboxylic acid, 1,2-dihydro-2-(2-methylpropyl)-1-oxo-4-phenyl-7-(phenylmethoxy)-, ethyl ester (CA INDEX NAME)



RN 447425-63-0 CAPLUS
CN 3-Isoquinolinecarboxylic acid, 1,2-dihydro-2-(2-methylpropyl)-1-oxo-4-phenyl-7-(phenylmethoxy)- (CA INDEX NAME)



OSC.G 17 THERE ARE 17 CAPLUS RECORDS THAT CITE THIS RECORD (30 CITINGS)
RE.CNT 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> s l4 not l5
L6 2 L4 NOT L5

=> dis l6 1-2 bib abs hitstr

L6 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2010 ACS on STN
AN 2008:495445 CAPLUS Full-text
DN 149:44277
TI Discovery, synthesis and biological evaluation of isoquinolones as novel and highly selective JNK inhibitors (1)
AU Asano, Yasutomi; Kitamura, Shuji; Ohra, Taiichi; Aso, Kazuyoshi; Igata, Hideki; Tamura, Tomoko; Kawamoto, Tomohiro; Tanaka, Toshimasa; Sogabe, Satoshi; Matsumoto, Shin-ichi; Yamaguchi, Masashi; Kimura, Hiroyuki; Itoh, Fumio
CS Medicinal Chemistry Research Laboratories, Pharmaceutical Research Division, Takeda Pharmaceutical Company, Ltd, 17-85, Jusohonmachi 2-chome, Yodogawa-ku, Osaka, 532-8686, Japan
SO Bioorganic & Medicinal Chemistry (2008), 16(8), 4715-4732
CODEN: BMECEP; ISSN: 0968-0896

PB Elsevier Ltd.
DT Journal
LA English
OS CASREACT 149:44277
GI



I

AB A novel series of 4-phenylisoquinolones were synthesized and evaluated as c-Jun N-terminal kinase (JNK) inhibitors. Initial modification at the 2- and 3-positions of the isoquinolone ring of hit compound 4, identified from high-throughput screening, led to the lead compound 6b (I). The optimization was carried out using a JNK1-binding model of 6b and several compds. exhibited potent JNK inhibition. Among them, a (methylsulfonylbenzyl)bromooxoisoquinolinecarboxylate significantly inhibited cardiac hypertrophy in rat pressure-overload models without affecting blood pressure and the concept of JNK inhibitors as novel therapeutic agents for heart failure was confirmed.

IT 583833-71-0P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of aryl-substituted oxoisoquinolinecarboxylates as JNK inhibitors and the kinase inhibition selectivity, pharmacokinetics, and effect on cardiac hypertrophy and blood pressure of one of the isoquinolinones)

RN 583833-71-0 CAPLUS
CN 3-Isoquinolinecarboxylic acid, 1,2-dihydro-6-methoxy-1-oxo-4-phenyl-2-(phenylmethyl)-, methyl ester (CA INDEX NAME)



IT 583833-69-6P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of aryl-substituted oxoisoquinolinecarboxylates as JNK inhibitors and the kinase inhibition selectivity, pharmacokinetics, and effect on cardiac hypertrophy and blood pressure of one of the isoquinolinones)

RN 583833-69-6 CAPLUS
CN 3-Isoquinolinecarboxylic acid, 1,2-dihydro-6-methoxy-1-oxo-4-phenyl-2-(phenylmethyl)- (CA INDEX NAME)



OSC.G 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS)
RE.CNT 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2010 ACS on STN
AN 2005:300410 CAPLUS Full-text
DN 142:373700
TI Preparation of isoquinoline derivatives as potassium channel inhibitors
IN Isaacs, Richard; Dinsmore, Christopher J.; McIntyre, Charles J.; Payne, Linda S.; Claremon, David A.
PA Merck & Co., Inc., USA
SO PCT Int. Appl., 48 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005030727	A1	20050407	WO 2004-US30944	20040922
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	AU 2004276267	A1	20050407	AU 2004-276267	20040922
	CA 2539541	A1	20050407	CA 2004-2539541	20040922
	EP 1667977	A1	20060614	EP 2004-788883	20040922
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
	CN 1856473	A	20061101	CN 2004-80027378	20040922
	JP 2007506748	T	20070322	JP 2006-528110	20040922
	IN 2006DN01129	A	20070817	IN 2006-DN1129	20060302
	US 20060270704	A1	20061130	US 2006-572343	20060317
PRAI	US 2003-505138P	P	20030923		
	WO 2004-US30944	W	20040922		

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT
OS CASREACT 142:373700; MARPAT 142:373700
GI



I



II

AB Title compds. represented by the formula I [wherein ring A = (un)substituted (hetero)aryl; R1 = H, (cyclo)alkyl, (alkyl)amino, etc.; R2, R8-R10 = independently H, halo, aminocarbamoyl, etc.; R5 = carbonylamino, carboxy, carbonylheterocyclic, etc.; and pharmaceutically acceptable salts, crystal forms or hydrates thereof] were prepared as potassium channel inhibitors. For example, II was given in a multi-step synthesis starting from (2-hydroxy-4-methoxyphenyl)(phenyl)methanone. I provide ≥20 % inhibition at a concentration of 33 μM or less in the high throughput Kv1.5 planar patch clamp assay and ≥25 % inhibition at a concentration of 25 μM or less in the AAS (Atomic Absorption Spectroscopy) assay. Thus, I and their pharmaceutical compns. are useful as potassium channel inhibitors for the treatment of cardiac arrhythmias, and the like.

IT 849358-94-7P

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of isoquinoline derivs. as potassium channel inhibitors)

RN 849358-94-7 CAPLUS

CN 3-Isoquinolinecarboxylic acid, 1,2-dihydro-7-methoxy-2-methyl-1-oxo-4-phenyl-, methyl ester (CA INDEX NAME)



IT 849358-96-9P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of isoquinoline derivs. as potassium channel inhibitors)

RN 849358-96-9 CAPLUS

CN 3-Isoquinolinecarboxylic acid, 1,2-dihydro-7-methoxy-2-methyl-1-oxo-4-phenyl- (CA INDEX NAME)




```
OSC.G   4      THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD (5 CITINGS)
RE.CNT  2      THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD
               ALL CITATIONS AVAILABLE IN THE RE FORMAT


=> log y
STN INTERNATIONAL LOGOFF AT 10:54:02 ON 16 APR 2010
```